

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 12th May, 1956—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Coorg								Madras							
TOTAL	Madras City	2	2
(Estd. mid-year pop. 262 thousands.)								North Arcot	8	3
Total for w/e 5-5-56	Salem	7	1
Total for w/e 28-4-56	South Arcot	4	2
7-yearly mean for the week	1	Tirunelveli	2	2
								TOTAL	23	10
Delhi								(Estd. mid-year pop. 38,273 thousands.)							
Delhi City	3	Total for w/e 5-5-56	33	14
New Delhi	4	Total for w/e 28-4-56	22	9
Delhi Notified Area	2	10	7-yearly mean for the week	203	58	66	16	..
New Delhi Cantt.	1								
TOTAL	10	10								
(Estd. Census pop. 1,5744 thousands.)								Manipur							
Total for w/e 5-5-56	10	TOTAL
Total for w/e 28-4-56	9	2	(Estd. mid-year pop. 613 thousands.)							
7 yearly mean for the week	9	2	Total for w/e 5-5-56
								Total for w/e 28-4-56
Himachal Pradesh															
"N.R."								Orissa							
Madhya Pradesh								Cuttack	34	18	8
Nagpur	9	3	Balasore	1	1
Chanda	20	Puri	19	12	6
Chhindwara	12	Baudh	1
Betul	20	Koraput	1
Bhandara	9	1	Keonjhar	1	1
Jabalpur	5	1	Dhankanal	6	2	27	4	..
Sagar	9	3	Bolangir Patna	3	..	6
Mandala	16	1	Kalshandi	12	3	..
Hoshangabad	40	7	Mayurbhanj	13
Balaghat	52	2	TOTAL	..	64	34	74	7
Raipur	6	(Estd. mid-year pop. 15,114 thousands.)							
Bilaspur	..	47	17	2	2	Total for w/e 5-5-56	238	119	34
Durg	35	7	Total for w/e 28-4-56	106	42	56	1
Akola	31	1	7-yearly mean for the week	40	17	135	20	..
Buldana	58	16								
TOTAL	..	47	17	324	44								
(Estd. mid-year pop. 22,109 thousands.)								Punjab (I)							
Total for w/e 5-5-56	3	2	479	65	"N. R."							
Total for w/e 28-4-56	5	2	726	60	Pondicherry							
7-yearly mean for the week	..	48	23	305	50	TOTAL	42	36

Explanation of symbols used: C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 12th May, 1956—*concid*

CHOLERA						CHOLERA					
SMALLPOX			PLAGUE			SMALLPOX			PLAGUE		
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Rajasthan						ARREAR INFORMATION					
"N.R."						Rajasthan					
Saurashtra						w/e 28-4-56					
TOTAL	TOTAL	1	39	4
Travancore Cochin						Madhya Bharat					
TOTAL	4	9	..	w/e 28-4-56					
Grand Total for States	66	32	11	18	..	TOTAL	102	16	..
Part (B)						
Grand Total for States	694	279	1008	267	..						
Parts (A), (B) and (C)						

Explanation of symbols used : C. = Cases; D. = Deaths; .. = Nil.

NEW DELHI-2 (INDIA); }
The 4th June, 1956. }

K. MITRA,
for Registrar General, (India)

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th May, 1956

Town	Mid-year Popn. Est. (000)	B.	Deaths from 1—											Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
STATES—(Parts A and C)																
Ajmer																
Ajmer	223	70	16·3	15	2	13	..	37	8·6	9			
Beawar	59	17	15·0	5	1	4	..	14	12·3	14			
TOTAL	282	87	16·0	20	3	17	..	51	9·4	23			
Andhra																
Adoni	63	44	36·3	2	1	1	2	11	9·1	2			
Anantapur	38	28	38·3	1	..	6	8·2	3			
Anakapalli†																
Bhimavaram	36	15	21·7	3	4·3	..			
Chirala	43	15	18·1	2	..	2	..	9	10·9	4			
Chittoor	45	40	46·2	6	..	3	..	19	22·0	6			
Cuddapah	42	25	31·0	2	1	1	..	15	18·6	3			
Eluru	99	23	12·1	8	1	1	..	28	14·7	7			
Gudivada	36	24	34·7	4	..	3	..	9	13·0	3			
Guntur†																
Guntakal	37	21	29·5	1	1	1	..	8	11·2	1			
Kakinada	113	43	19·8	..	1	..	3	1	7	3·2	1			
Kurnool	68	75	57·4	1	2	1	..	22	16·8	5			
Masulipatnam	88	28	16·6	1	2	11	6·5	4			
Nandyal†																
Nellore	95	135	73·8	3	4	4	2	41	22·4	15			
Proddatur†																
Rajahmundry	122	55	23·4	10	..	3	..	43	18·3	7			
Tenali	67	33	25·6	3	..	1	..	13	10·1	4			
Vijayawada	201	111	28·8	..	2	..	6	6	7	..	63	16·3	14			
Visakhapatnam	128	63	25·6	..	3	..	11	3	9	..	51	20·7	6			
Vizianagaram†																
TOTAL	1,321	778	30·6	..	6	..	63	22	38	4	357	14·1	85			
Assam																
"N.R."																
Bhopal																
Bhopal city.	116	83	37·1	1	3	1·3	..			
Bihar																
"N.R."†																
Delhi State																
"N.R."																
Bombay																
Ahmedabad	889	494	28·8	..	3	..	55	22	101	..	353	20·6	109			
Ahmednagar	88	67	39·6	3	..	4	..	20	11·8	5			
Amalner	50	26	27·0	12	..	2	..	18	18·7	3			
Bagalkot	36	12	17·3	2	2	5	57·2	..			
Baroda	242	145	31·1	21	5	13	..	83	17·8	25			
Barsi	46	29	32·1	4	1	..	1	21	23·7	..			
Belgaum	110	81	38·3	3	4	4	1	51	24·1	5			
Bhusawal	62	21	17·6	5	..	1	..	9	7·5	1			
Bijapur	75	40	27·7	3	..	2	8·3	..			
Broach†																
Cambay	41	24	30·4	1	6	7·6	2			
Chaltgaon	35	15	22·3	5	1	11	16·3	3			

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N.R." Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th May, 1956—*contd.*

Deaths from :—

Town	Mid-year popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—<i>contd.</i>													
Dharwar . . .	76	32	21.9	2	..	1	..	12	8.2	..
Dhulia . . .	89	32	18.7	12	..	1	..	20	11.7	10
Gadag-Betogeri . . .	71	48	35.2	8	..	2	..	32	23.4	..
Godhra . . .	40	19	24.7	6	9	11.7	1
Greater Bombay . . .	3,449	1,353	20.4	..	4	..	2	34	92	2	530	18.0	122
Hubli . . .	148	58	20.4	1	3	..	15	5.3	3
Jalgaon . . .	79	24	15.8	4	..	7	2	18	11.8	2
Kalyan . . .	73	15	10.7	2	..	3	..	9	6.4	2
Kolhapur . . .	159	123	40.2	2	5	8	..	50	16.4	14
Malegaon . . .	63	36	29.7	11	..	2	..	14	11.6	2
Miraj† . . .	71	40	29.3	15	..	1	..	27	20.0	9
Nandurbar . . .	35	18	26.8	1	..	2	..	10	14.9	7
Nasik . . .	119	56	24.4	10	..	7	..	28	12.2	5
Navasari . . .	50	31	32.2	7	7.3	3
Pandharpur . . .	44	29	34.3	4	3	6	..	18	21.4	4
Patna . . .	47	28	31.0	3	..	3	..	18	19.9	5
Poona . . .	607	239	20.5	12	5	21	1	105	9.0	25
Sangli . . .	58	20	18.0	5	2	12	10.8	1
Satara . . .	40	29	37.7	2	1	3	..	11	14.3	..
Sholapur . . .	299	205	35.6	..	1	..	26	1	31	..	112	19.5	31
Surat . . .	250	165	34.3	..	2	..	17	3	21	..	122	25.4	48
Thana . . .	61	16	13.6	4	3.4	1
TOTAL	7,602	3,570	24.4	..	10	..	255	87	342	10	1,772	12.1	448

Madhya Pradesh

"N.R."

Madras

Ambur . . .	44	27	31.9	1	6	7.0	1
Aruppukottai . . .	56	27	25.0	4	2	1	..	12	11.1	..
Bodinayakanur . . .	40	25	32.5	2	6	7.8	3
Cannanore . . .	47	21	23.2	4	..	2	..	10	11.1	3
Chidambaram . . .	39	28	37.3	11	14.6	4
Coimbatore . . .	234	258	57.3	6	14	..	77	17.1	12
Cuddalore . . .	74	80	57.7	..	1	3	1	..	22	15.8	7
Dindigul . . .	90	27	15.6	2	1	8	4.6	..
Erode . . .	67	56	43.5	1	..	2	3	18	13.9	3
Gobichetty Palayan . . .	38	23	31.4	1	..	3	4.1	1
Guddiyattam† . . .	90	63	36.4	1	12	1	31	17.9	6
Kancheepuram . . .	90	63	36.4	1	12	1	31	17.9	6
Karaikudi . . .	44	25	29.5	1	8	9.5	4
Karur . . .	50	22	22.8	1	10	10.4	3
Kozhikode . . .	176	188	55.5	1	5	..	43	12.7	15
Kumbakonam . . .	105	32	15.8	2	1	1	23	11.4	6
Madras . . .	1,703	1,050	32.1	..	2	..	47	71	140	3	523	15.9	145
Mangalore . . .	136	92	35.2	3	1	1	..	37	14.2	12
Mathurai . . .	427	512	62.4	6	6	29	8	128	15.6	28
Mayuram . . .	49	38	40.3	1	1	2	..	6	6.4	1
Malapalayam . . .	40	8	10.4	1	1	2	..	6	7.8	1
Nagapattinam . . .	60	58	50.3	2	3	3	2	18	15.6	5
Ottacamund† . . .	48	48	51.9	4	5	..	11	11.9	3
Palni†
Palayamkottai . . .	45	40	46.2	3	..	2	..	19	21.9	5
Palghat . . .	77	50	33.7	3	2	6	..	25	16.8	3
Periyakulam . . .	34	29	4.44	2	..	2	..	7	10.7	2

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates

† Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile deaths (included in total deaths); ..—Nil information; "NR"—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th May, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from:—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madras—contd.														
Pollachi . . .	51	35	38.7	1	2	6	..	20	20.4	7	
Pudukottai . . .	50	49	50.9	2	..	14	14.6	4	
Rajapalayam . . .	69	32	24.1	2	4	18	13.6	3	
Salem . . .	241	150	32.4	4	3	12	..	60	12.9	4	
Srirangam . . .	42	21	26.0	1	1	2	..	10	12.4	2	
Srivilliputtur . . .	44	30	35.5	2	3	1	..	11	13.0	1	
Tanjore . . .	118	23	10.2	6	..	4	..	23	10.2	6	
Tellicherry . . .	42	30	37.2	1	..	1	12	14.8	1	
Tiruchirappalli . . .	251	92	19.1	3	4	..	38	7.8	7	
Tirunelveli . . .	80	87	37.1	4	1	28	18.2	9	
Tiruppur . . .	63	60	49.5	3	2	..	19	18.7	6	
Tiruvannamalai . . .	45	15	17.3	1	..	11	12.7	4	
Tuticorin . . .	111	82	38.4	1	1	12	1	31	14.5	8	
Vaniyambadi . . .	43	46	55.6	1	1	2	13	15.7	5	
Vellore† . . .														
Villupuram . . .	39	34	45.3	1	6	7.9	2	
Virudunagar . . .	53	35	34.3	1	2	8	7.8	1	
TOTAL . . .	5,155	3,618	36.4	..	3	..	103	134	278	22	1,390	14.0	343	
Orissa														
Berhampur . . .	72	70	50.7	3	1	3	..	17	12.3	6	
Cuttack . . .	117	64	28.5	7	1	7	..	46	20.5	7	
Puri . . .	53	31	30.5	3	6	1	..	17	16.7	3	
TOTAL . . .	242	165	35.5	13	6	11	..	80	17.2	16	
Punjab (I)														
Ambala . . .	65	38	3.6	6	2	3	..	15	12.1	5	
Amritsar . . .	343	250	88.1	4	23	..	64	9.8	20	
Batala . . .	62	24	20.2	15	..	4	..	22	18.5	4	
Bhivani . . .	57	34	31.2	12	1	6	..	23	21.1	11	
Ferozepore . . .	45	17	9.17	1	1	1	..	5	5.8	2	
Hissar . . .	39	36	48.3	7	..	4	..	13	17.4	4	
Hoshiarpur . . .	51	23	23.6	5	..	17	17.4	7	
Jullundur . . .	200	93	24.3	6	3	9	..	28	7.3	10	
Karnal . . .	72	35	25.4	4	..	1	..	7	5.1	3	
Ludhiana . . .	176	83	24.7	20	30	8.9	11	
Moga† . . .														
Panipat† . . .														
Pathankot . . .	34	26	40.0	4	..	2	..	7	10.8	1	
Rewari . . .	36	8	11.6	1	..	3	..	4	5.8	1	
Rohtak . . .	105	46	22.9	2	4	3	..	21	10.5	9	
Simla . . .	50	25	26.2	3	3.1	1	
Sonapat . . .	34	18	27.7	8	9	13.8	3	
TOTAL . . .	1,369	7,56	28.7	86	15	64	..	268	10.2	92	
Uttar Pradesh														
Agra . . .	375	150	20.9	8	37	..	77	10.7	27	
Allahabad . . .	349	140	21.0	..	3	1	23	2	74	11.1	15	
Amroha . . .	61	43	36.8	2	1	1	..	11	9.4	3	
Bahraich . . .	47	21	23.4	15	1	18	20.0	4	
Banaras . . .	383	242	33.0	..	8	..	82	6	25	..	242	33.0	66	
Ballia . . .	35	7	10.4	3	..	1	..	5	7.5	..	
Banda . . .	32	7	11.4	
Bareilly . . .	203	60	15.4	15	2	8	..	36	9.3	14	
Bijnor† . . .														

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th May, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh—contd.														
Budaun	54	26	25.2	—	7	2	5	..	16	15.5	4	
Basti†														
Bulandshahr	42	5	6.2	3	3	3.7	..	
Chandauli	41	19	24.1	7	1	5	..	21	26.6	10	
Dehra Dun	146	34	12.2	1	..	2	..	5	1.8	..	
Etawah	64	21	17.1	14	3	4	..	37	30.2	9	
Faizabad-Ayodhya†														
Farrukhabad-Fatehgarh	82	26	16.6	7	1	1	..	12	7.6	5	
Firozabad	79	14	9.3	1	..	1	..	6	4.0	1	
Ghaziabad	46	13	14.8	4	..	1	..	6	6.8	3	
Gazipur	36	15	21.8	2	2	2	..	14	20.3	1	
Gorakhpur	140	44	16.4	6	4	5	..	23	8.6	5	
Gonda	35	9	13.4	1	2	3.0	1	
Hapur	49	27	28.8	3	..	1	..	7	7.5	3	
Hardwar	64	27	22.0	16	..	2	..	23	18.8	2	
Hathras	62	28	23.6	22	1	6	1	41	34.6	17	
Jaunpur	56	15	14.0	..	2	..	3	..	3	..	11	10.3	1	
Jhansi	116	79	35.6	25	..	1	..	32	14.4	13	
Kanpur	734	314	22.4	—	113	15	35	4	287	20.4	93	
Kasganj	34	9	13.8	5	5	7.7	2	
Khurja	41	13	16.6	4	1	4	..	15	19.1	6	
Koil-Allahgarh	150	33	11.5	14	1	3	..	22	7.7	6	
Lucknow	494	255	27.0	..	1	..	24	21	21	..	150	15.9	43	
Mathura	110	66	31.4	16	1	10	..	35	16.6	6	
Mau Nath Bhajan†														
Meerut	185	103	29.1	6	3	8	..	23	6.5	4	
Mirzapur Vindhyaçal	97	37	19.9	12	..	2	..	23	12.4	9	
Moradabad	164	90	28.7	10	3	14	..	40	12.7	17	
Muzaffarnagar	74	42	29.7	4	..	2	..	16	11.3	2	
Pilibhit	45	22	25.6	12	4	1	1	23	26.7	12	
Rampur†														
Saharanpur	162	85	27.4	29	1	1	..	46	14.8	10	
Sambhal	65	29	23.3	13	..	6	..	25	20.1	5	
Shahjahanpur	99	56	23.0	11	..	1	..	19	7.8	7	
Sitapur	49	13	13.8	2	3	3.2	3	
TOTAL	5,100	2,239	22.8	..	14	..	514	75	242	8	1,454	14.1	432	
West Bengal														
"N.R."														
STATES—Part B														
Jammu & Kashmir														
"N.R."														
Madhya Bharat														
"N.R."														
Mysore														
Bhadravati	55	8	7.6	
Bangalore	977	748	39.8	10	71	93	..	278	14.8	..	
Mysore	294	113	20.0	11	5	6	..	49	22.5	..	
Kolar Gold Fields	173	103	31.0	2	5	6	..	31	15.7	..	
Bellary	78	22	15.3	—	..	2	..	10	6.7	..	
Davangere	69	57	43.0	2	1	17	12.8	..	
Hospet	45	11	12.7	1	6	7.0	..	
Simoga	57	21	19.2	6	8	7.3	..	
Chitaldrug	31	4	6.7	1	2	3.4	..	
TOTAL	1,779	1,087	31.8	32	82	107	1	401	11.7	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil Information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th May, 1956—*contd.*

Town	Mid-year Popn. Estd. (000)	B.	Deaths from:—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	D.R.	M.D.					
PEPSU															
Patiala City	111	59	27·6	15	1	2	..	32	15·0	13		
Malerkotla	34	21	32·1	13	..	1	..	17	26·0	5		
Bhatinda	39	11	14·7	2	3	4·0	..		
TOTAL	184	91	25·7	30	1	3	..	52	14·7	18		
Rajasthan															
"N.R."															
Travancore-Cochin															
Alleppey	148	35	12·3	2	..	5	..	16	5·6	2		
Changanacherry† Ernakulam	70	56	41·6	1	9	6·7	1		
Kottayam	50	8	8·3	6	6·2	1		
Mattanchery	85	42	25·7	1	1	9	5·5	1		
Nagercoil	94	35	19·4	1	1	1	..	13	7·2	..		
Quilon	75	65	45·1	..	—	2	1	18	12·5	1		
Trichur	76	57	39·0	7	4·0	..		
Trivandrum City	218	152	36·3	2	2	2	..	35	8·3	4		
TOTAL	816	450	28·7	7	4	10	1	113	7·2	10		
Saurashtra															
"N. R."															
Hyderabad															
Aurangabad	73	3	2·1	3	5	3·6	..		
Bidar† Gulberga	90	9	5·2	5	..	3	1	11	6·3	..		
Hyderabad City	1,057	178	8·8	..	2	..	24	183	9·0	12		
Jalna† Kothagudiam†															
Latur† Nanded	80	10	6·5	4	1	..	1	6	3·9	..		
Nizambad	67	13	2·1	1	3	2·3	1		
Parbhani† Raichur† Secunderabad City	162	111	35·6	3	1	9	..	37	11·9	6		
Warangal	155	15	5·0	3	..	3	..	18	6·0	..		
TOTAL	1,684	339	10·5	..	2	..	43	2	15	2	263	8·1	19		
Rajasthan															
Jalpur	353	40	5·7	25	2	17	..	69	10·2	31		
Alwar	60	32	27·7	2	..	3	..	9	7·8	2		
Bharatpur†															
Tonk	45	2	2·3	5	..	4	..	10	11·6	..		
Sikar† Jodhpur†															
Bikaner† Churu	48	1	1·1		
Ganganagar	47	4	..	3	1	2	..	13	14·5	..		
Kotah	72	10	7·2	8	10	7·2	5		
Udaipur	106	20	9·8	1	4	1	8	3·9	2		
TOTAL	731	105	7·5	..	4	..	43	4	30	1	119	8·5	40		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th May, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D	Total	D.R.*	I.D.
ARREAR RETURNS													
Madhya Pradesh													
<i>For w/e 28-4-56</i>													
Jabalpur . . .	237	156	34.2	..	2	..	12	4	14	..	49	10.7	..
Sagar . . .	75	34	23.5	..	7	..	9	22	15.2	..
Bilaspur . . .	40	39	50.7	4	1	1	..	16	20.8	7
Gondia . . .	45	29	33.5	7	1	16	18.4	2
Amravati . . .	101	105	54.0	11	2	6	..	57	29.3	12
Achalpur . . .	38	27	36.9	..	5	..	9	1	2	..	22	30.1	10
Yeotmal . . .	41	29	36.7	6	..	2	..	22	27.9	9
Akola . . .	104	77	38.5	12	1	4	..	33	16.5	6
Raigarh . . .	35	9	13.3	2	..	1	..	5	7.4	1
TOTAL . . .	716	505	36.7	..	14	—	72	9	30	1	242	17.6	47
Madhya Pradesh													
<i>For w/e 25-2-56</i>													
Khamgaon . . .	42	21	26.0	..	2	..	3	1	11	13.6	..
<i>For w/e 3-3-56</i>													
Khamgaon . . .	42	44	54.5	6	1	16	19.8	..
<i>For w/e 10-3-56</i>													
Khamgaon . . .	42	36	44.5	5	14	17.3	..
<i>For w/e 17-3-46</i>													
Khamgaon . . .	42	38	47.0	..	5	..	1	—	..	—	11	13.6	..
<i>For w/e 24-3-56</i>													
Khamgaon . . .	42	41	50.7	—	7	—	6	—	20	24.7	..
<i>For w/e 21-4-56</i>													
Jabalpur . . .	237	127	27.8	..	4	..	13	1	6	..	33	7.2	..
<i>For w/e 5-5-56</i>													
Nagpur . . .	528	148	14.5	..	15	..	49	4	6	..	112	11.0	..
Kamptee . . .	36	15	21.6	6	14	20.2	..
Sagar . . .	75	15	10.4	..	1	..	3	..	1	..	12	8.3	..
Bilaspur . . .	40	29	37.7	6	17	22.1	11
Gondia . . .	45	22	25.4	8	..	2	1	14	16.1	2
Amravati . . .	101	74	38.0	..	5	..	8	1	5	1	33	16.9	6
Achalpuri . . .	38	26	35.5	..	1	..	8	13	17.7	8
Yeotmal . . .	41	16	20.3	1	..	1	..	13	16.5	4
Akola . . .	104	72	36.0	..	1	..	9	..	2	1	27	13.5	9
TOTAL . . .	1,008	417	21.5	..	23	..	98	5	17	3	255	13.2	40
Jammu & Kashmir													
<i>For w/e 10-3-56</i>													
Jammu City . . .	69	66	49.7	2	11	8.3	1
<i>For w/e 17-3-56</i>													
Jammu City . . .	69	78	58.8	1	3	7	5.3	2
<i>For w/e 24-3-56</i>													
Jammu City . . .	69	60	45.2	1	6	..	9	6.8	1
<i>For w/e 31-3-56</i>													
Jammu City . . .	69	67	50.5	5	1	1	..	15	11.3	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th May, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Rajasthan		For w/e 5-5-56											
Alwar . . .	60	27	23.4	2	..	2	.	23	19.9	1
Tonk . . .	45
Jodhpur . . .	200	47	12.3	..	3	..	27	5	15	..	62	16.2	24
Churu . . .	48	2	2.2	1	2	2.2	1
Ganganagar . . .	47	3	3.3	..	5	..	3	1	1	..	12	13.2	..
TOTAL . . .	400	79	10.3	..	8	..	33	6	18	..	99	12.9	26

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; = Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 12th May 1956 relate to 186 towns with an estimated population of 26,416 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 59% of the total number of towns representing 64% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 13,368 and 6,325 representing birth and death rates of 26.3 and 12.5 per thousand of population respectively.

(a) *States (Part A and C).*—The data here relate to 151 towns with an estimated population of 21,187 thousands. Information about Assam, Bihar, Delhi, Madhya Pradesh and West Bengal could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 60% of the total number of towns representing 63% of the

total population is covered. The number of births and deaths recorded in these towns were 11,296 and 5,377 representing birth rates and death rates of 27.7 and 13.2 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of the population.

(b) *States (Part B).*—The data here relate to 35 towns with an estimated population of 5,229 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 54% of the total number of towns representing 65% of the total population is covered. The number of births and deaths recorded in these towns were 2,072 and 948 representing birth and death rates of 20.6 and 9.4 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 12-5-1956		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer . . .	16.0	9.4	†	†	22.6	22.2
Andhra . . .	30.6	14.1	25.3	17.6	†	†
Bombay . . .	24.4	12.1	26.1	12.7	27.4	16.2
Madras . . .	36.4	14.0	40.9	18.2	†	†
Orissa . . .	35.5	17.2	40.6	16.9	38.5	15.3
Punjab (I) . .	28.7	10.2	30.3	8.4	27.1	9.6
Uttar Pradesh .	22.8	14.8	25.7	15.2	25.2	16.3
India* . . .	27.7	13.2	29.4	14.5	25.6	15.4

*6 Part 'A' States and 1 Part 'C' State.

†Figures not available.

NEW DELHI-2 (INDIA);

The 4th June, 1956.

K. MITRA,
for Registrar General, India.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th May, 1956

CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.			
STATES PART (A) AND PART (C)																Bhopal							
Almer								TOTAL							 30 4							
TOTAL															(Estd. mid-year pop. 867 thousands.)							
(Estd. mid-year pop. 752 thousands.)								Total for w/c 12-5-56							 24 4							
Total for w/c 12-5-56								Total for w/c 5-5-56							 18 4							
Total for w/c 5-5-56								7-yearly mean for the week							 2 1							
7-yearly mean for the week							 3 2								Bihar							
Andhra								"N. R."															
Srikakulam							 1 1								(Estd. mid-year pop. 42,198 thousands.)							
Visakhapatnam							 18 5								Total for w/c 12-5-56							
Godavari East							 8 3								Total for w/c 5-5-56							
Godavari West							 4 3								7-yearly mean for the week							
Krishna							 18 6 2 1							
Guntur							 5 1								Bombay							
Nellore							 8 2								Greater Bombay							
Kurnool							 32 9 20 4								Ahmedabad							
Cuddapah							 5 4								Broach							
Anantapur							 6 3								Surat							
Chittoor							 6								Ahmednagar							
TOTAL								.. 37 13 94 28								East Khandesh							
(Estd. mid-year pop. 21,238 thousands.)								Total for w/c 12-5-56								West Khandesh							
Total for w/c 12-5-56								2 1 191 48								Nasik							
Total for w/c 5-5-56								5 2 203 31								Satara North							
7-yearly mean for the week								46 25 170 37								Sholapur							
Assam								TOTAL								8 4 89 23							
Kamrup							 4								(Estd. mid-year pop. 39,569 thousands.)							
Nowgong							 1								Total for w/c 12-5-56							
TOTAL							 4 1								Total for w/c 5-5-56							
(Estd. mid-year pop. 9,817 thousands.)								Total for w/c 12-5-56								7-yearly mean for the week							
Total for w/c 12-5-56							 7 2								42 21 4							
Total for w/c 5-5-56								2 .. 4 2								48 2 282 45							
7-yearly mean for the week							 4 2															

Explanation of Symbols used : C=Cases; D=Deaths; "N.R."=Information not received; ..=Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th May, 1956—*contd.*

CHOLERA								CHOLERA									
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE					
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.		
Coorg								Madhya Pradesh—contd.									
TOTAL	.	..	—	Raipur	62	9
Estd. mid-year pop. 262 thousands.)								Bilaspur	.	.	15	13	5	3	
Total for w/e 12-5-56			Durg	44	2	.	..	
Total for w/e 5-5-56	—	—		Yeotmal	2	
7-yearly mean for the week	1	Akola	165	32
								Buldana	40	3
Delhi								TOTAL	.	17	13	426	59		
Delhi City	4	(Estd. mid-year pop. 22,109 thousands)									
New Delhi	9	Total for w/e 12-5-56	47	17	324	44			
Delhi Notified Area	1	Total for w/e 5-5-56	3	2	479	65			
New Delhi Cantt.	5	1	7-yearly mean for the week	36	18	229	27			
TOTAL	18	2	Madras									
(Census pop. 1,744 thousands.)								Madras City	2	
Total for w/e 12-5-56	10	10		North Arcot	1	
Total for w/e 5-5-56	10		Salem	1	
7-yearly mean for the week	6	2		South Arcot	13	4	
Himachal Pradesh								Tanjore	1	
TOTAL	Ramnathapuram	3	
(Estd. mid-year pop. 1,003 thousands.)								Tirunelveli	.	.	—	..	4	
Total for w/e 12-5-56	Malabar	11	4	
Total for w/e 5-5-56	TOTAL	34	10		
Madhya Pradesh								(Estd. mid-year pop. 38,273 thousands.)									
Nagpur	14	Total for w/e 12-5-56	23	10			
Wardha	24	Total for w/e 5-5-56	33	14	..	.			
Chhindwara	3	1	..	7-yearly mean for the week	.	.	128	55	60	14	
Betul	6	Manipur									
Bhandara	14	TOTAL		
Sagar	10	2	..	(Estd. mid-year pop. 613 thousands.)									
Mandla	5	5	..	Total for w/e 12-5-56		
Hoshangabad	.	.	2	..	2	1	..	Total for w/e 5-5-56			
Balaghat	30	2	..										

Explanation of Symbols used: C=Cases;

D=deaths; "N.R." Information not received; .. = Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th May, 1956—*contd.*

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.
Orissa—								Uttar Pradesh—<i>contd.</i>							
Cuttack . . .	23	15	Kanpur	7	4
Balasore . . .	5	2	Deoria	3	1
Puri . . .	75	32	Falzarabad	4	1
Sambalpur	10	2	Ghazipur	2	1
Keonjhar	1	Gorakhpur	16	8
Dhenkanal . . .	1	1	14	1	Gonda	1
Kalahandi	8	3	Hamirpur	10	3
TOTAL . . .	104	50	33	6	Hardoi	6
(Estd. mid-year pop. 15,114 thousands.)								Jhansi	5	1
Total for w/e 12-5-56	64	34	74	7	Jaunpur	5	3
Total for w/e 5-5-56	238	119	34	Kheri	2
7-yearly mean for the week . . .	42	29	121	14	Lucknow	2	1
Punjab (I)								Mainpuri	3	1
"N.R."								Pilibhit	1
Pondicherry								Rae Bareilly	16	5
TOTAL	26	18	Sitapur	1	6
Tripura								TOTAL . . .	16	8	113	55
TOTAL . . .	2	2	(Estd. mid-year pop. 66,780 thousands.)							
(Estd. mid-year pop. 706 thousands.)								Total for w/e 12-5-56	84	17
Total for w/e 12-5-56	Total for w/e 5-5-56	7	4	80	32
Total for w/e 5-5-56	7-yearly mean for the week . . .	177	78	153	50	5	1	..
Uttar Pradesh								Vindhya Pradesh							
								"N.R."							
Agra	1	West Bengal							
Allahabad	15	2	Burdwan . . .	26	12
Azamgarh	11	4	Birbhum	1	1
Almora	7	4	Bankura	1	1
Banda	3	2	Midnapur . . .	24	8	1
Banaras	6	5	Hooghly . . .	70	28	5	3
Bulandshahr	2	1	Howrah . . .	100	30	2	2
Bahraich	6	4	24-Parganas . . .	106	42

Explanation of Symbols used : C=Cases; D=Deaths; ..=Nil "N.R." Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th May, 1956—*contd.*

CHOLERA								SMALLPOX								PLAGUE							
CHOLERA								SMALLPOX								PLAGUE							
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.								
West Bengal—Contd.								Madhya Bharat															
Calcutta	.	.	255	93	10	9	"N. R."														
Nadia	.	.	2	..	1	1	Mysore														
Murshidabad	.	.	2	1	Bellary	3						
Malda	11	2	Chikmagalur	.	.	2	1						
West Dinajpur.	.	.	1	..	7	3	Citaldrug	3	1						
Darjeeling	1	Kolar	6						
TOTAL	.	.	586	214	40	22	TOTAL	.	.	2	1	12	1						
(Estd. mid-year pop. 26,396 thousands).								Patiala & East Punjab States Union															
Total for w/e 12-5-56								TOTAL															
5-5-56								..															
Total for w/e 5-5-56								6															
7-yearly mean for the week								..															
Grand Total for States Parts (A) & (C) (excluding Bihar, Panjab & Vindhya Pradesh)								Rajasthan															
770								"N.R".															
(Estd. mid-year pop. 245,243 thousands.)								Saurashtra															
Total for w/e 12-5-56								Central Saurashtra															
5-5-56								..															
7-yearly mean for the week								Halar															
Grand Total for States Parts (A), (B) and (C)								TOTAL															
802								..															
321								..															
947								..															
243								..															
..								..															
..								..															

STATES PART (B)

Hyderabad							
Gulberga	.	3
Raichur	.	18	14	3	3
Mahbubnagar	.	9	2	—	—
Hyderabad	7
Khamam	1
TOTAL	.	30	16	10	4

Jammu & Kashmir

"N. R."

ARREAR INFORMATION

Himachal Pradesh

<i>w/e 5-5-56</i>							
TOTAL
<i>w/e 12-5-56</i>							
TOTAL
<i>w/e 28-4-56</i>							
TOTAL	1

Madhya Bharat

w/e 5-5-56

TOTAL	7
--------------	---	----	----	---	----	----	----

Explanation of Symbols used: C—Cases; D—Deaths; — Nil; "N. R."—Information not received

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th May, 1956—concl'd.

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.		
Punjab								POLIOMYELITIS							
w/e 12-5-56								(Information based on Patients treated in hospitals in important towns)							
Ambala	1	Place	Period	Cases					
Hoshiarpur	1	Punjab	15—31 May, 1956	13 (Paretic)					
Ferozepur	7	Madras	1—15 Feb. „	15					
TOTAL	8	1	Madras	16—29 Feb. „	21					
Rajasthan								Madras	1—15 Mar. „	21					
w/e 5-5-56								Madras	16—31 Mar. „	24					
TOTAL	60	14	West Bengal	1—15 Mar. „	5 (Paretic)					
								West Bengal	16—31 Mar. „	6 („					

Explanation of Symbols used : C.=Cases; D.=Deaths ; :=Nil ; "N.R."=Information not received.

NEW DELHI-2 (INDIA) ;

The 11th June, 1956.

K. MITRA,

for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th May, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from:—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
STATES—(Parts A and C)															
Ajmer															
Ajmer	223	86	20.0	17	1	10	..	45	10.5	5		
Beawar	59	32	28.2	..	1	..	24	1	4	1	41	36.1	15		
TOTAL	282	118	21.8	..	1	..	41	2	14	1	86	15.9	20		
Andhra															
"N. R."															
Assam															
"N. R."															
Bhopal															
Bhopal City	116	74	33.2	2	0.9	..		
Bihar															
"N. R."															
Bombay															
Ahmedabad	889	506	29.6	..	1	..	53	14	113	1	413	24.2	110		
Ahmednagar	88	62	36.6	2	1	6	..	29	17.1	5		
Amalner	50	31	32.2	8	..	3	..	16	16.6	4		
Bagalkot	36	31	44.8	2	1	10	14.4	2		
Baroda	242	161	34.6	20	1	12	..	72	15.5	17		
Barsi	46	17	19.2	6	2	1	..	20	22.6	8		
Belgaum	110	77	36.4	5	1	3	1	16	7.6	2		
Bhusawal	62	28	23.5	..	1	..	11	..	1	..	20	16.8	4		
Bijapur †															
Broach†															
Cambay	41	19	24.1	3	..	1	..	9	11.4	1		
Chalisgaon	35	14	20.8	5	1	10.4	2		
Dharwar	76	40	27.4	10	7	4.8	..		
Dhulia	89	57	33.3	10	..	2	..	15	8.8	8		
Gadag Betageri	71	53	38.8	10	1	3	..	30	22.0	..		
Godra	40	43	55.9	6	..	1	..	14	18.2	3		
Greater Bombay	3,449	1,347	20.3	..	1	..	6	19	99	..	628	9.5	149		
Hubli	148	53	18.4	1	..	5	1	14	4.9	2		
Jalgaon	79	17	11.2	7	1	2	1	14	9.2	6		
Kalyan	73	18	12.8	1	..	2	..	8	5.7	3		
Kolhapur	159	104	34.0	1	1	10	..	39	12.7	4		
Malegaon	63	45	37.1	7	1	10	8.3	2		
Miraj	44	23	27.2	1	2	..	17	20.1	3		
Nadiad	71	57	41.7	19	..	1	..	24	17.6	..		
Nandurbar	35	20	29.7	1	..	1	..	10	14.9	5		
Nasik	119	67	29.3	9	4	5	..	32	14.0	8		
Navasari	50	25	26.0	5	10	10.4	4		
Pandharpur	44	31	36.6	6	1	3	1	19	22.4	9		
Patan	47	37	40.9	2	..	6	..	12	13.3	2		
Poona	607	207	17.7	11	4	22	..	115	9.9	27		
Sangli	58	19	17.0	3	1	4	..	14	12.5	6		
Satara	40	22	28.6	1	..	1	..	10	13.0	2		
Sholapur	299	169	29.4	14	2	23	..	98	17.2	22		
Surat	250	155	32.2	..	2	..	18	2	9	..	117	24.3	33		
Thana†	61	26	22.2	10	8.5	2		
TOTAL	7,571	3,581	24.6	..	5	254	57	341	6	1,879	12.9	455			

† In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D.—Maternal Deaths ; D.R.—Death Rate ; I. D.—Infantile Deaths (included in total deaths) ; ..—Nil information. "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th May, 1956—*contd.*

Town	Mid-year Popn. list, (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Delhi State															
Delhi City	1,124	567	26·2	121	6	28	2	228	10·5	72		
New Delhi	374	120	16·6	1	3	4	1	40	5·6	6		
N.A.C. Civil Station, Delhi	117	70	31·1	..	1	..	1	3	4	..	18	8·0	6		
Delhi Cantt.	50	19	19·7	..	1		
Delhi Shahdara	53	47	46·1	2	2	2	..	10	9·8	4		
TOTAL	1,718	823	24·9	..	2	..	125	14	38	3	296	9·0	88		
Madhya Pradesh															
Achalpur†															
Akola	104	50	25·0	..	1	..	11	..	1	..	24	12·0	7		
Amravati	101	58	29·8	10	1	9	..	42	21·6	15		
Bilaspur	40	20	26·0	..	1	..	4	..	1	..	19	24·7	9		
Burhanpur	79	77	50·6	12	..	1	..	28	18·4	..		
Chanda †															
Chindwara†															
Damoh †															
Gondia															
Hinganghatt†															
Jabalpur															
Khandwa	59	20	17·6	3	1	2	..	6	5·3	..		
Khamgaon†															
Kamptee	36	11	15·9	7	18	26·0	..		
Murwar†															
Itarsi †															
Nagpur	528	137	13·5	..	38	..	81	4	14	..	195	19·2	13		
Sagar	75	17	11·2	..	5	..	7	1	2	..	18	11·8	..		
Raipur †															
Raigarh †															
Wardha †															
Yecotmal	41	21	26·6	4	1	1	..	10	12·6	4		
TOTAL	1,063	411	20·2	..	45	..	139	8	31	..	360	17·6	48		
Madras															
Ambur	44	21	24·8	2	1	..	4	4·7	1		
Aruppukottai	56	37	34·4	7	3	1	..	18	16·7	4		
Bodinayakanur	40	1	..	5	6·5	..		
Cannanore	47	30	33·2	..	2	..	3	1	2	..	16	17·7	3		
Chidambaram	39	32	42·7	1	..	1	1	17	22·6	1		
Coimbatore	234	235	52·2	8	13	..	63	13·9	30		
Cuddalore	74	51	36·8	2	1	1	..	21	15·1	..		
Dindigul	90	50	28·9	3	1	19	11·0	2		
Erode	67	48	37·2	1	1	2	..	12	9·3	1		
Gobichetty Palayan	38	13	17·8	1	4	5·5	3		
Guddiyattam	53	31	29·4	2	..	1	..	9	8·8	..		
Kancheepuram	90	79	45·6	3	15	1	29	16·8	10		
Karalkudi	44	29	34·3	1	1	1	..	11	13·0	5		
Karur	50	32	33·3	1	2	4	..	13	13·5	2		
Kozhikode	176	118	39·6	2	3	3	6	67	19·8	..		
Kumbakonam	105	80	39·6	1	..	3	..	20	8·9	5		
Madras	1,703	1,069	32·6	71	77	181	7	635	19·4	197		
Mangalore	136	97	37·0	4	1	3	..	35	13·4	3		
Mathurai†															
Mayuram	49	15	15·9	1	1	8	8·5	..		
Malapalayam	41	5	6·3	1	1	2	1	5	6·3	2		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th May, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from:—											Total D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F	D.D.	R.D.	M.D.				
Madras—contd.														
Nagapattinam	60	54	46·8	2	..	1	..	14	12·1	4	
Ootacamund† Palani	40	28	36·4	1	4	..	10	13·0	1	
Palayamkottal	45	55	63·5	4	1	2	..	20	23·1	3	
Palghat† Periyakulam	34	32	48·9	1	2	1	9	13·8	1	
Pollachi	51	41	41·8	2	..	8	8·2	4	
Pudukottai	50	35	36·4	2	1	..	9	14·6	..	
Rajapalayam	69	33	24·9	2	2	1	13	9·8	..	
Salem	241	153	33·0	4	7	14	1	60	12·9	11	
Srirangam	42	25	31·0	1	3	16	19·8	6	
Srivilliputtur	44	38	44·9	5	1	1	..	17	20·1	6	
Tanjore	118	121	53·3	3	..	3	2	30	14·2	..	
Tellicherry	42	33	40·8	1	1	12	14·8	1	
Tiruchirapalli	251	115	23·8	2	5	8	..	63	13·1	10	
Tiruppur	63	52	42·9	3	6	1	19	15·7	6	
Tiruvannamalai	45	65	75·4	6	1	18	20·8	7	
Tuticorin	111	93	43·6	3	3	11	2	35	16·4	11	
Vaniyambadi	43	25	30·3	1	3	..	6	7·3	2	
Vellore	124	144	60·4	4	3	9	2	43	18·0	16	
Villupuram	39	32	42·6	2	2	2	..	18	23·9	4	
Virudunagar	53	38	37·3	2	1	15	14·7	1	
TOTAL	4,741	3,284	36·0	..	2	..	133	141	314	29	1,446	15·9	363	
Orissa														
Berhampur† Cuttack	117	131	58·4	7	2	6	..	39	17·4	4	
Puri	53	32	31·5	6	3	1	..	24	23·6	5	
TOTAL	170	163	49·9	13	5	7	..	63	19·3	9	
Punjab (I)														
Ambala	65	38	30·6	13	4	21	16·9	8	
Amritsar	343	161	24·5	1	4	17	..	70	10·7	15	
Batala	62	42	35·4	9	11	9·3	4	
Bhliwani	57	56	51·4	9	1	1	..	20	18·3	10	
Ferozepore	45	18	20·9	3	3	2	..	12	13·9	3	
Hissar	39	38	50·9	16	..	2	..	19	25·5	5	
Hoshiarpur	51	27	27·7	2	1	5	..	23	23·6	5	
Jullundur	200	111	29·0	10	4	9	..	37	9·7	10	
Karnal	72	40	29·0	8	..	1	..	14	10·2	3	
Ludhiana	176	139	41·3	25	..	1	..	48	14·3	11	
Moga	41	27	34·4	5	1	2	..	11	14·0	2	
Panipat	64	44	35·9	12	..	1	..	16	13·1	4	
Pathankot	34	26	40·0	2	4	6·2	..	
Rewari	36	21	30·5	2	1	4	..	8	11·6	2	
Rohtak	105	60	29·9	7	2	2	..	22	11·0	8	
Simla	50	20	20·9	1	4	4·2	..	
Sonepat	34	19	29·2	5	10	15·4	1	
TOTAL	1,474	887	31·3	130	21	47	..	350	12·3	91	
Uttar Pradesh														
Agra	375	180	25·1	5	46	..	86	12·0	34	
Allahabad	349	135	20·2	..	2	..	1	3	38	1	72	10·8	13	
Amroha	61	66	56·6	4	1	5	..	22	18·8	12	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th May, 1956—*contd.*

Deaths from —

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Jahraich . . .	47	18	20.0	18	2	1	..	25	27.8	4
Jangras . . .	383	237	32.3	..	3	..	69	6	24	..	213	29.1	58
Jallia . . .	35	4	6.0	1	2	3.0	..
Janda . . .	32	16	26.1	4	1	2	..	8	13.1	4
Jareilly . . .	203	84	21.6	12	2	12	..	42	10.8	10
Judeaun . . .	54	30	29.0	24	1	2	..	30	29.0	5
Jastit . . .													
Jalandshahr†													
Jhandausi . . .	41	30	38.0	4	3	1	..	14	27.8	9
Jehra Dun . . .	146	62	22.2	5	11	3	..	19	6.8	5
Jitawah . . .	64	37	30.2	10	..	6	..	28	22.9	8
Jalazabad-Ayodhya . . .	88	25	14.8	..	1	..	4	..	2	3	22	7.1	2
Jerrukhabad-Fatehgarh . . .	82	32	20.4	12	1	8	..	26	16.6	4
Jerozabad . . .	79	39	25.8	11	..	1	..	25	16.5	9
Jazlabad . . .	46	25	28.4	17	..	1	..	21	23.9	5
Jazipur . . .	36	14	20.3	7	15	21.8	..
Jorakhpur . . .	140	69	25.8	11	4	6	..	39	14.6	13
Jonda . . .	35	9	13.4	1	..	1	..	3	4.5	..
Japur . . .	49	25	26.7	12	3	2	..	19	20.3	6
Jardwar . . .	64	29	23.7	12	2	3	..	27	21.0	4
Jathras . . .	62	44	37.1	27	6	8	..	66	51.6	25
Jaurpur . . .	56	25	23.3	..	2	..	5	..	2	..	15	14.0	2
Jhansi . . .	116	68	30.6	..	1	..	40	47	21.2	19
Janpur . . .	734	395	28.1	..	1	..	112	13	34	7	291	20.7	71
Jasganj . . .	34	7	10.8	8	8	12.3	3
Jhurja . . .	41	18	22.9	6	..	2	..	16	20.4	6
Joli-Allgarh . . .	150	74	25.8	13	2	7	..	36	12.5	14
Jucknow . . .	494	282	29.8	..	1	..	29	9	31	..	156	16.5	62
Jathura†													
Jau-Nath Bhanjant†													
Jecrut . . .	185	65	18.4	8	1	6	1	24	6.8	8
Jirzapur-Vindhyachal . . .	97	34	18.3	14	2	4	..	22	11.8	3
Joradabad . . .	164	100	31.9	4	3	8	..	35	11.1	9
Juzaffarnagar . . .	74	24	16.9	16	1	2	..	22	15.5	4
Jilibhit . . .	45	31	36.0	9	..	4	..	16	18.6	7
Jampur†													
Jaharanpur . . .	162	118	38.1	54	68	21.9	20
Jambhal . . .	65	60	48.3	..	1	..	37	4	6	..	53	42.6	22
Jahajhanpur . . .	99	35	14.4	16	1	2	..	24	9.8	5
Jitapur . . .	49	33	35.0	7	8	8.5	6
TOTAL . . .	5,036	2,579	26.6	..	12	..	644	77	280	12	1,655	17.1	491

West Bengal

Asansol†													
Baidyabat†													
Bally . . .	66	4	3.2	3		1	1	..	8	6.3	1
Bankura . . .	50	19	19.9	1	2	2.1	..
Bansberia†													
Baranagar . . .	90	42	24.4	4	..	12	7.0	3
Basirhat . . .	39	4	5.4	3	1	5	6.7	..
Berhampur . . .	64	48	39.2	5	4.1	1
Bhadreshwar†													
Bhatpara . . .	143	32	11.7	2	9	1	9	1	35	12.8	10
Budge-Budge . . .	32	12	19.6	2	2	..	4	6.5	..
Burdwan†													

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th May, 1956—*contd.*

Town	Mid-year Popn.Est. (000)	B.	B.R.*	C.	Deaths from :—										D.R.*	I.D.
					S.	P.	F.	D.D.	R.D.	M.D.	Total					
West Bengal—contd.																
Calcutta	2,984	1,242	21.8	93	9	—	45	62	133	4	767	13.4	184			
Champdani	41	12	15.3	1	—	—	—	—	—	—	4	5.1	—			
Coach-Behar†																
Darjeeling†																
English-Bazar	36	12	17.4	2	2.9	..			
Garden Reach	124	21	8.9	3	4	6	3	..	20	8.4	2			
Halisahar	41	10	12.8			
Hoogly-Chinsurah	60	60	52.3	5	2	1	3	..	15	13.1	3			
Howrah	477	95	10.4	16	2	..	10	9	29	1	129	14.1	42			
Jalpaiguri†																
Kamarhati †																
Kanchrapara†																
Krishnagar	56			
Midnapore	45	33	38.3	1	14	16.3	..			
Nabadwip	70	32	23.9	7	..	1	1	11	8.2	3			
Naihati	62	4	3.4	1	2	1	4	3.4	..			
North-Barrackpore	36	4	5.8	2	1	3	4.4	..			
Panihati	65	4	3.2	1	..	3	2.4	..			
Shantipur	49	19	20.3	6	6.4	1			
Scrapore	83	42	26.5	7	3	4	23	14.5	5			
Siliguri	44	19	22.6	1	1.2	..			
South Dum Dum	83	1	0.6	..			
South Suburban	124	28	11.8	2	1	2	12	..	24	10.1	5			
Titagarh†																
TOTAL	4,964	1,798	18.9	136	11	..	86	91	199	8	1,098	11.6	260			

STATES—(Part B)

Hyderabad																	
Aurangabad	73	6	3.6	2	1.4	..	
Bidar†																	
Gulberga	90	2	1.1	1	..	4	..	5	2.8	..
Hyderabad City	.	.	.		1,058	358	17.6	..	1	..	37	5	17	..	114	5.8	16
Jalna†																	
Kothagudiam†																	
Latur	41
Nanded	80	14	9.1	2	..	6	..	8	5.2	..
Nizambad	67	12	9.3	1	..	1	..	2	1.6	1
Parbhani	40	4	5.3	1	1	1.3	..
Raichur †																	
Secunderabad City	.	.	.		162	119	38.2	7	2	8	..	33	10.6	11
Warangal	155	25	8.4	10	..	2	..	15	5.0	..
TOTAL	.	.			1,766	540	15.9	..	1	..	59	7	38	..	180	5.3	28

Jammu & Kashmir

"N.R."

Madhya Bharat																	
Greater Gwalior	.	.	.	273	27	5.1	1	3	..	9	1.7	..	
Indore	.	.	.	368	143	20.2	18	2	5	1	63	8.9	18	
Ujjain	.	.	.	156	35	11.7	8	1	30	10.0	..	
Ratlam †																	
Mandsaur	.	.	.	41	7	8.9	2	..	1	1	4	5.1	..	
	TOTAL			.	838	212	13.2	28	4	9	2	106	6.6	18

*In cases of towns where there has been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.
†Figures not available.

Explanation of symbols used :—B.—Birth ; B. R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; —Nil Information ; "N.R." Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th May, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	Deaths from :—											Total	D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
Mysore																
Chitaldrug	31	22	36.9	1	1.7	..		
Bhadravati †																
Bangalore	977	560	29.8	4	53	80	..	253	13.5	..			
Mysore	294	104	18.4	16	7	9	..	84	14.9	..			
Kolar Gold Fields	173	30	9.0	1	2	11	3.3	..			
Billary †																
Davangere	69	31	23.4	2	8	6.0	..			
Hospet	45	20	23.1	1	8	9.2	..			
Shimoga	57	14	12.8	5	6	5.5	..			
TOTAL	1,646	781	24.7	29	62	89	..	371	11.7	..			
PEPSU																
Patiala City	111	65	30.5	15	..	6	1	49	23.0	18			
Malerkotla	34	27	41.3	5	9	10.2	3			
Bhatinda	39	13	17.3			
TOTAL	184	105	29.7	20	..	6	1	58	16.4	21			
Rajasthan																
"N.R."																
Travancore-Cochin																
Alleppey †																
Changanacherry	41	34	43.1	2	12	15.2	..			
Ernakulam †																
Kottayam	50	65	67.7	1	..	5	..	26	27.0	2			
Mattanchery	85	75	45.9	1	6	3.7	1			
Nagercoil	94	42	23.7	1	1	2	..	11	6.1	..			
Quilon	75	105	72.8	1	1	..	9	6.2	1			
Trichur	76	55	37.6	1	1	16	10.9	1			
Trivandrum City	218	179	42.7	3	1	5	..	36	8.6	3			
TOTAL	639	555	45.2	9	4	13	..	116	9.4	8			
Saurashtra																
Bhavnagar	157	55	18.2	16	2	39	12.9	11			
Dhoraji	47	38	42.0	5	1	1	..	12	13.3	1			
Gondal	41	23	29.2	4	2	8	10.1	2			
Jamnagar	122	17	7.2	16	2	5	1	42	17.9	1	26		
Junagadh	65	46	36.8	6	..	4	..	24	19.2	..			
Morvi	43	23	27.8	2	2	2.4	..			
Porbandar	64	40	32.5	9	2	20	16.2	13			
Rajkot	167	45	14.0	14	2	4	..	39	12.1	14			
Surendranagar†																
Veraval	46	6	6.8	4	..	2	..	7	7.9	1			
TOTAL	752	293	20.3	76	9	16	3	193	13.3	64			

ARREAR RETURNS

Madhya Pradesh

For w/e 28-4-56

Nagpur	528	101	9.9	..	22	..	56	1	..	3	120	11.8	10
Kamptee	36	22	31.7	5	16	23.1
Khandwa	59	25	22.6	..	1	..	3	..	3	..	11	9.6
Burhanpur	79	45	29.6	19	3	2	..	36	23.6

*In cases of towns where there has been an abnormal movement of population, it is likely that the Population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Birth ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information. "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th May, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	Deaths from :—											D.R.*	I.D.
			B.R.*	C.	S.	P.	F	D.D.	R.D	M.D.	Total				
Punjab															
For w/e 12-5-56															
Moga	41	22	28.1	1	7	8.9	3		
Bombay															
For w/e 11-2-56															
Surat	250	168	34.9	..	4	..	17	..	18	..	123	25.6	44		
Sholapur	299	230	40.0	..	5	..	20	2	32	..	93	16.2	14		
Thana	61	24	20.5	..	1	..	3	10	8.5	3		
For w/e 18-2-56															
Thana	61	22	18.8	1	7	6.0	2		
For w/e 25-2-56															
Thana	61	33	28.1	2	..	1	..	15	12.8	1		
Kalyan	73	26	18.5	1	1	1	..	7	5.0	..		
Nadlad	71	34	24.9	7	1	19	13.9	4		
For w/e 3-3-56															
Thana	61	28	23.8	1	..	1	..	20	17.0	4		
For w/e 10-3-56															
Poona	607	258	22.1	..	7	..	15	1	35	3	133	11.4	30		
For w/e 17-3-56															
Barsi	46	24	27.1	3	..	3	..	10	11.3	2		
For w/e 24-3-56															
Broach	67	73	56.7	9	..	2	..	17	13.2	3		
For w/e 31-3-56															
Broach	67	36	27.9	1	9	18	14.0	1		
Thana	61	22	18.8	..	3	..	3	2	1	..	24	20.5	7		
For w/e 7-4-56															
Broach	67	44	34.1	7	..	2	..	15	11.6	6		
Navasari	50	21	21.8	7	13	13.5	1		
For w/e 14-4-56															
Miraj	44	20	23.6	1	8	9.5	..		
Broach	67	67	52.0	10	..	6	..	29	22.5	6		
Cambay	41	40	50.7	2	..	1	..	8	10.1	4		
For w/e 21-4-56															
Miraj	44	20	23.6	2	1	2	..	14	16.5	2		
For w/e 28-4-56															
Miraj	44	19	22.5	5	..	1	..	18	21.3	3		
Broach	67	49	39.5	6	40	31.0	5		
Baroda	242	178	38.2	27	4	13	..	100	21.5	26		
Chalisgaon	35	14	20.8	8	1	10	14.9	3		
For w/e 5-5-56															
Broach	67	67	52.0	6	2	19	14.7	3		
Miraj	44	27	31.9	2	..	13	15.4	2		
Thana	61	27	23.0	5	18	15.3	3		
for w/e 12-5-56															
Miraj	44	18	21.3	1	..	2	..	13	15.4	1		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M. D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th May, 1956—concl'd.

Town	Mid.-year Popn. Est. (000)	B.	Deaths from :—								Total	D.R.*	I.D.	
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Saurashtra														
For w/e 12-5-56														
Bhavnagar . . .	157	42	13·9	20	3	50	16·6	12	
Dhoraji . . .	47	22	24·3	7	1	2	..	14	15·5	..	
Gondal . . .	41	17	21·6	2	5	6·3	..	
Jamnagar . . .	122	13	5·5	2	1	3	..	12	5·1	3	
Morvi . . .	43	13	15·7	2	2	2·4	1	
Porbandar . . .	64	16	13·0	9	5	2	..	32	26·0	11	
Rajkot . . .	167	67	20·9	..	2	..	13	1	4	..	37	11·5	11	
Veraval . . .	46	12	13·6	..	1	..	10	..	4	..	16	18·1	5	
Junagadh . . .	65	28	22·4	12	..	1	..	19	15·2	8	
TOTAL . . .	752	230	15·9	..	3	..	77	11	16	..	187	12·9	51	
Madhya Bharat														
For w/e 12-5-56														
Greater Gwalior . . .	273	163	31·0	3	..	1	..	24	4·6	..	
Indore . . .	368	165	23·3	34	3	7	..	102	14·4	41	
Ujjain . . .	156	29	9·7	17	1	36	12·0	..	
Mandsaur . . .	41	8	10·1	2	..	1	..	3	3·8	..	
TOTAL . . .	838	365	22·6	56	3	9	1	165	10·2	41	
Assam														
For w/e 12-5-56														
Gauhati . . .	51	4	4·1	8	2	21	21·4	..	
Dibrugarh . . .	46	2	2·2	
Silchar . . .	43	8	9·7	1	1	1	..	4	4·8	..	
Madhya Pradesh														
For w/e 28-4-56														
Itarsi . . .	30	30	52·0	..	—	..	4	1	19	32·9	..	
For w/e 21-4-56														
Itarsi . . .	30	1	1·7	—	2	11	19·0	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total death) ; .. = Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 19th May, 1956, relate to 211 towns with an estimated population of 32,960 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 67% of the total number of towns representing 79% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 16,204 and 8,259 representing birth and death rates of 25.6 and 13.0 per thousand of population respectively.

(a) States (Part A and C).—The data here relate to 172 towns with an estimated population of 27,135 thousands. Information about Andhra, Assam and Bihar, could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 68% of the total number of towns representing 81% of the total population is covered.

The number of births and deaths recorded in these towns were 13,718 and 7,235 representing birth rates and death rates of 26.3 and 13.9 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) States (Part B).—The data here relate to 39 towns with an estimated population of 5,825 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 60% of the total number of towns representing 72% of the total population is covered. The number of births and deaths recorded in these towns were 2,486 and 10,24 representing birth and death rates of 22.2 and 9.1 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 19-5-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer . .	21.8	15.9	†	†	25.7	24.2
Bombay . .	24.6	12.9	26.3	12.9	26.7	15.7
Delhi . .	24.9	9.0	24.0	9.4	24.2	9.9
Madhya Pradesh . .	20.2	17.6	24.1	17.7	22.4	19.3
Madras . .	36.0	15.9	40.9	16.9	†	†
Orissa . .	49.9	19.3	36.4	15.1	40.1	17.5
Punjab (I) . .	31.3	12.3	27.4	8.8	23.1	10.2
Uttar Pradesh . .	26.6	17.1	22.5	14.8	23.1	17.5
West Bengal . .	18.9	11.6	14.6	10.8	15.4	12.2
India* . .	26.3	13.9	28.7	13.9	26.7	15.7

*7 Part "A" States and 2 Part "C" States.

† Figures not available.

NEW DELHI-2 (INDIA) ; }
The 11th June, 1956 }

K. MITRA,
for Registrar General, India